## . AVAILABLE COPY

Application Serial No.: 10/004,363
Amendment and Response to May 5, 2004 Office Action

#### AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently amended) A method comprising:

acquiring first three-dimensional surface data representing at least a portion of a patient's body while the patient is in a first position substantially maintained during a computed tomography scan;

acquiring second data <u>independent from the first data and</u> representing at least one internal three-dimensional portion of the patient's body while the patient is in the first position;

acquiring third three-dimensional surface data representing at least the portion of the patient's body while the patient is in a second position substantially maintained in preparation for radiation treatment; and

comparing the first position and the second position based on the first data and the third data.

- 2. (Original) A method according to Claim 1, further comprising:
- determining a radiation treatment plan based on the first data, the second data, and on data representing a physical layout of a radiation treatment station.
- 3. (Original) A method according to Claim 2, wherein the step of determining the radiation treatment plan comprises:

determining a position of a radiation treatment device that will avoid the patient's body and that will allow irradiation of a portion of the at least one internal portion.

- 4. (Cancelled)
- 5. (Previously amended) A method according to Claim 1, further comprising:
  determining, based on the first data and the third data, that the second position does not
  correspond to the first position.

- 6. (Original) A method according to Claim 5, further comprising: instructing the patient to move so that the second position corresponds to the first position.
- 7. (Original) A method according to Claim 5, further comprising: changing a radiation treatment plan for the patient based on a difference between the first position and the second position.
- 8. (Original) A method according to Claim 1, further comprising: determining, based on the first data and the third data, that the patient represented by the first data is different from the patient represented by the third data.
- (Previously amended) A method according to Claim 1, further comprising: determining, based on the first data and the third data, that the patient's body has changed by greater than a threshold amount; and

in response to the determination that the patient's body has changed by greater than the threshold amount, acquiring fourth three-dimensional surface data representing at least the portion of the patient's body while the patient is in a third position substantially maintained during a second computed tomography scan.

10. (Previously amended) A method according to Claim 1, further comprising: acquiring fourth three-dimensional surface data representing at least the portion of the patient's body while the patient is in a third position; and

activating a radiation beam according to a radiation treatment plan if it is determined based on the fourth data that the third position corresponds to a point in a cycle of body motion specified by the treatment plan.

11. (Previously amended) A method according to Claim 10, further comprising: acquiring fifth three-dimensional surface data representing at least the portion of the patient's body while the patient is in a fourth position; and

deactivating the radiation beam according to a radiation treatment plan if it is determined based on the fifth data that the fourth position does not correspond to the point specified by the treatment plan.

#### 12. (Currently amended) A method comprising:

acquiring computed tomography data of a patient while the patient remains substantially in a first position;

acquiring first three-dimensional surface data of the patient independent from the computed tomography data while the patient remains substantially in the first position;

determining a radiation treatment plan based on the computed tomography data, the three-dimensional data, and data representing a physical layout of a radiation treatment station;

acquiring second three-dimensional surface data of the patient while the patient remains substantially in a second position at the radiation treatment station;

determining if the second three-dimensional data corresponds to the first three-dimensional data; and

delivering radiation to the patient according to the radiation treatment plan if it is determined that the second three-dimensional data corresponds to the first three-dimensional data.

#### 13. (Currently amended) A system comprising:

- a computed tomography scanning device for acquiring computed tomography data of a patient while the patient is in a scanning position;
- a first surface photogrammetry device for acquiring first three-dimensional surface data independent from the computed tomography data of at least a portion of the patient's body while the patient is in the scanning position;
  - a radiation treatment device for delivering radiation to the patient;
- a second surface photogrammetry device for acquiring second three-dimensional surface data of at least the portion of the patient's body while the patient is in a treatment position on the radiation treatment device; and
- a controller for determining if the treatment position corresponds to the scanning position based on the first three-dimensional surface data and the second three-dimensional surface data.

- 14. (Original) A system according to Claim 13, further comprising:
- a treatment planning device for generating a radiation treatment plan based on the computed tomography data, the first three-dimensional surface data, and data representing a physical layout of a radiation treatment station.
  - 15. (Cancelled)
- 16. (Previously amended) A system according to Claim 13, wherein the first surface photogrammetry device and the second surface photogrammetry device are a same device.
- 17. (Currently amended) A medium storing controller-executable process steps, the process steps comprising:
- a step to acquire first three-dimensional surface representing at least a portion of a patient's body while the patient is in a first position substantially maintained during a computed tomography scan;
- a step to acquire second data <u>independent from the first data</u> representing at least one internal three-dimensional portion of the patient's body while the patient is in the first position;
- a step to acquire third three-dimensional surface data representing at least the portion of the patient's body while the patient is in a second position substantially maintained in preparation for radiation treatment; and
- a step to compare the first position and the second position based on the first data and the third data.
- 18. (Original) A medium according to Claim 17, the process steps further comprising:
  a step to determine a radiation treatment plan based on the first data, the second data, and
  data representing a physical layout of a radiation treatment station.
  - 19. (Cancelled)

- 20. (Previously amended) A medium according to Claim 17, the process steps further comprising:
- a step to determine, based on the first data and the third data, that the patient's body has changed by greater than a threshold amount; and
- a step to acquire, in response to the determination that the patient's body has changed by greater than the threshold amount, fourth three-dimensional surface data representing at least the portion of the patient's body while the patient is in a third position substantially maintained during a second computed tomography scan.
- 21. (Previously amended) A medium according to Claim 17, the process steps further comprising:
- a step to acquire fourth three-dimensional surface data representing at least the portion of the patient's body while the patient is in a third position; and
- a step to activate a radiation beam according to a radiation treatment plan if it is determined, based on the fourth data, that the third position corresponds to a position specified by the treatment plan.
- 22. (Previously amended) A medium according to Claim 17, the process steps further comprising:
- a step to acquire fourth three-dimensional surface data representing at least the portion of the patient's body while the patient is in a third position; and
- a step to activate a radiation beam according to a radiation treatment plan if it is determined based on the fourth data that the third position corresponds to a point in a cycle of body motion specified by the treatment plan.
- 23. (Previously amended) A medium according to Claim 22, the process steps further comprising:
- a step to acquire fifth three-dimensional surface data representing at least the portion of the patient's body while the patient is in a fourth position; and

a step to deactivate the radiation beam according to a radiation treatment plan if it is determined based on the fifth data that the fourth position does not correspond to the point specified by the treatment plan.

- 24. (newly added) A method according to Claim 1, further comprising: converting the first surface data to a computed tomography scanner coordinate frame; determining a patient isocenter based on the second data; and converting the converted first surface data to a coordinate frame of the patient isocenter.
- 25. (newly added) A method according to Claim 24, further comprising: converting the third surface data to a coordinate frame of a radiation treatment device; and

comparing the converted third surface data to the first surface data that was converted to a coordinate frame of the patient isocenter.

- 26. (newly added) A method according to Claim 12, further comprising: converting the first surface data to a computed tomography scanner coordinate frame; determining a patient isocenter based on the computed tomography data; and converting the converted first surface data to a coordinate frame of the patient isocenter.
- 27. (newly added) A method according to Claim 26, wherein the step of determining if the second three-dimensional surface data corresponds to the first three-dimensional surface data comprises:

converting the second surface data to a coordinate frame of the radiation treatment station; and

comparing the converted second surface data to the first surface data that was converted to a coordinate frame of the patient isocenter.

28. (newly added) A medium according to Claim 17, the process steps further comprising:

a step to convert the first surface data to a computed tomography scanner coordinate frame;

a step to determine a patient isocenter based on the second data; and
a step to convert the converted first surface data to a coordinate frame of the patient
isocenter.

29. (newly added) A medium according to Claim 24, further comprising: a step to convert the third surface data to a coordinate frame of a radiation treatment device; and

a step to compare the converted third surface data to the first surface data that was converted to a coordinate frame of the patient isocenter.

# This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

BLACK BORDERS

IMAGE CUT OFF AT TOP, BOTTOM OR SIDES

FADED TEXT OR DRAWING

BLURRED OR ILLEGIBLE TEXT OR DRAWING

SKEWED/SLANTED IMAGES

COLOR OR BLACK AND WHITE PHOTOGRAPHS

GRAY SCALE DOCUMENTS

LINES OR MARKS ON ORIGINAL DOCUMENT

REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

### IMAGES ARE BEST AVAILABLE COPY.

☐ OTHER: \_\_

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.